

FIG. 1




FIG. 2




FIG. 3





FIG. 4

Database relationship viewed from a specific application program



Conventional data storage method


1		Attribute
2	Parent = entity 1	Attribute
3	Parent = entity 1	Attribute
4	Parent = entity 2	Attribute
5	Parent = entity 3	Attribute
6	Parent = entity 3	Attribute

Data storage method using hierarchical link table

<u>Hierarchical node database</u>		<u>Hierarchical link table</u>	
1	Attribute	1	Parent = entity 1 Child = entity 2
2	Attribute	2	Parent = entity 1 Child = entity 3
3	Attribute	3	Parent = entity 2 Child = entity 4
4	Attribute	4	Parent = entity 3 Child = entity 5
5	Attribute	5	Parent = entity 3 Child = entity 6
6	Attribute		

FIG. 5

Entities required for application



Hierarchical node database

50


Node ID	Node attribute
100	Entity ID = 1, Name = 52
101	Entity ID = 2, Name =
102	Entity ID = 3, Name =
103	Entity ID = 4, Name =
104	Entity ID = 5, Name =
105	Entity ID = 6, Name =

51

Used in common by various applications

004637 25924260

FIG. 6



Hierarchical link table T1:

Link ID	Structure name/ Owner ID	Parent node	Child node
28	Application AP1	100	101
29	Application AP1	100	104
30	Application AP1	101	103
31	Application AP1	104	102

Hierarchical link table T2:

Hierarchical structure for AP2

Link ID	Structure name/ Owner ID	Parent node	Child node
32	Application AP2	105	101
33	Application AP2	101	103
34	Application AP2	105	100

Prepared in accordance with various application programs
(Can be used in common)

FIG. 7






FIG. 15








FIG. 8B


FIG. 8

FIG. 8A

FIG. 8B

FIG. 9

Discount calculation structure for a specific client



Hierarchical node database: Product catalog

93


Product ID	Attribute
Product/service 1	Attribute 1
Product/service 2	Attribute 2
Product/service 3	Attribute 3
Product/service 4	Attribute 4
Charge calculation 4	Attribute 4
Discount 5	Attribute 5
Discount 6	Attribute 6

94 Hierarchical link table: Discount structure 1

Link ID	Owner	Parent node	Child node
Link 1	Discount structure 1	Charge calculation 4	Product/service 1
Link 2	Discount structure 1	Charge calculation 4	Product/service 2
Link 3	Discount structure 1	Charge calculation 4	Product/service 4
Link 4	Discount structure 1	Charge calculation 4	Product/service 3
Link 6	Discount structure 1	Discount 5	Product/service 1
Link 7	Discount structure 1	Discount 5	Product/service 2
Link 8	Discount structure 1	Discount 6	Product/service 1
Link 9	Discount structure 1	Discount 6	Product/service 3
Link 10	Discount structure 1	Discount 6	Product/service 4

Aggregate charge structure for a specific client

FIG. 10



Hierarchical node database:
Organization DB

Organization ID	Attribute
Association 1	Attribute 1
Customer 1	Attribute 1
Division 1	Attribute 1
Division 2	Attribute 2

Hierarchical node database:
Product catalog

Product ID	Attribute
Charge 1	Attribute 1
Product/service 1	Attribute 1
Product/service 2	Attribute 2
Product/service 3	Attribute 3
Product/service 4	Attribute 4

Hierarchical link table: Charge structure 1

Link ID	Owner	Parent node	Child node
Link 1	Discount structure 1	Charge 1	Association 1
Link 2	Discount structure 1	Association 1	Customer 1
Link 3	Discount structure 1	Customer 1	Cost center 1
Link 4	Discount structure 1	Customer 1	Cost center 2
Link 5	Discount structure 1	Association 1	Customer 2

FIG. 11

Example used for hierarchical link table:

Link ID	Effective start date	Effective end date	Structure name/ Owner ID	Parent node	Child node
28	1999.1.10		Application AP1	100	101
29	1999.1.10		Application AP1	100	104
30	1999.1.10	1999.3.31	Application AP1	101	103
31	1999.4.1		Application AP1	101	102

Link ID	Effective start date	Effective end date	Structure name/ Owner ID	Parent node	Child node
32	1999.1.10		Application AP2	105	101
33	1999.1.10	1999.3.31	Application AP2	101	103
34	1999.1.10		Application AP2	105	100

Example used for hierarchical node database:

Node ID	Effective start date	Effective end date	Node attribute
100	1999.1.1		Entity ID = 1, Name = ...
101	1999.1.1		Entity ID = 2, Name = ...
102	1999.4.1		Entity ID = 3, Name = ...
103	1999.1.1	1999.3.31	Entity ID = 4, Name = ...
104	1999.1.1		Entity ID = 5, Name = ...
105	1999.1.1		Entity ID = 6, Name = ...

FIG. 12

FIG. 12 A

FIG. 12 B

FIG. 12A

(a)


Charge/discount calculation

A case wherein no change
occurs during a period

Cycle table

6/20-7/19

Charge calculation period



(b)


Charge/discount calculation

A case wherein a change
occurs during a period

On July 25th,
discount 1 was
changed to discount
2 dated the 14th

6/20-7/13

Charge calculation period



Input 50
change
7/25
Link start
date: 7/14
Link end
date: 7/13

122

124

FIG. 12B




FIG. 13

131

Node ID	Effective start date	Effective end date	Node attribute
	1999.1.1	1999.3.31	Type = nearest address, Telephone address ID = ...
	1999.4.1		Type = nearest address, Telephone address ID = ...
	1999.1.1	1999.3.31	Type = cable, Cable ID =, Cable name = ...
	1999.4.1		Type = cable, Cable ID =, Cable name = ...
	1999.1.1		Type = HH, HH - ID =, HH name = ...
	1999.1.1		Type = optical center line, Optical center line No =, Status = vacant
	1999.8.1		Type = ONU, ONU type =, ONU - ID = ...
	1999.8.1		Type = ONU - LC, C slot No = ...
	1999.1.1		Type = N - SLT, SLT - ID = ...
	1999.1.1		Type = OSU, OSU position = ...
	1999.1.1		Type = VCN, VCN position = ...
	1999.1.1		Type = connection terminal, Connection terminal No = ...
	1999.1.1		Type = metal center line, Center line No = ...
	1999.1.1		Type = LXM position, LXM position No = ...
	1999.1.1		Type = DSU, DSU - ID = ...
	1999.1.1		Type = connection terminal, Connection terminal No = ...

FIG. 14A




FIG. 14B

